

1/6




FIG. 1

2/6




FIG. 2

3/6

Block Address	Rewrite Cycle Count	File Type

FIG. 3

Drive Identifier	Rewrite Cycle Threshold

FIG. 4

4/6

500 <i>Medium Identifier</i>	502 <i>Rewrite Cycle Threshold</i>

FIG. 5

800 <i>Region Address</i>	802 <i>Most Recently Used</i>

FIG. 8

5/6

600	FILE_1 Static
602	FILE_2
604	(Static)
606	FILE_3 Dynamic
608	FILE_4
610	(Static)

FIG. 6A

600	FILE_3 [Dynamic](Static)
602	FILE_2 Dynamic
604	(Static)
606	FILE_1 [Static](Dynamic)
608	FILE_4
610	(Static)

FIG. 6B

600	FILE_3 [Dynamic](Static)
602	(Dynamic)
604	FILE_2 [Dynamic](Static)
606	FILE_1 [Static](Dynamic)
608	FILE_4
610	(Static)

FIG. 6C

600	FILE_3 [Dynamic](Static)
602	FILE_5 (Dynamic)
604	FILE_2 [Dynamic](Static)
606	FILE_1 [Static](Dynamic)
608	FILE_4
610	FILE_6 (Static)

FIG. 6D

6/6

